



48 - 60 kW

# MF 2600



FROM MASSEY FERGUSON

# The "DNA" of Massey Ferguson



**1847**

Daniel Massey opens a workshop for agricultural implements in Ontario, Canada.

**1857**

Alanson Harris likewise opens a foundry in Ontario and specialises in the manufacture and repair of agricultural implements.

**1891**

Merger of Massey and Harris.



**1933**

Prototype of the "Ferguson Black" tractor. This has the first three-point linkage for attaching trailer devices to the tractor.

**1946**

Beginning of manufacturing of the Ferguson TE 20 in Great Britain. 517,651 machines are produced within ten years.



**1953**

The Canadian company of Massey-Harris merges with Harry Ferguson Limited to become Massey-Harris-Ferguson.

**1957**

The Massey Ferguson triangle logo makes its first public appearance.



**1938**

Introduction of the world's first self-propelled combine harvester produced as standard, the MH No. 20.



**1960**

Opening of the tractor plant in Beauvais in France.

**1962**

Introduction of the Multipower transmission.

**1958**

Market launch of the MF 65 tractor with 50.5 hp.

**1958**

Official registration of the new company of Massey Ferguson.

**1964**

Introduction of the MF 100 range (the "Red Giants") with their 45 - 66 hp.



**1972**

Market launch of the largest combine harvester in the whole of North America, the MF 760.

**1970**

With sales of over 350,000 machines, the MF 135 becomes MF's most sold tractor.



**1973**

There is greater demand for farm machinery than ever before. Sales of tractors rise by 80%.

**1976**

193,000 tractors are manufactured worldwide in MF plants.

**1977**

Introduction of the MF PowerFlow cutter.



**1987**

MF celebrates having been the manufacturer of agricultural tractors with the highest sales in the Western world for 25 years without a break.

**1990**

Birth of the European storage system.

**1991**

Introduction of yield mapping for MF combine harvesters.

**1994**

Massey Ferguson is taken over by the AGCO Corporation.

**1980**

Introduction of MF Powerpart.

**1986**

Market launch of the MF 3000 range - the first "intelligent" tractors in the world.

**2004**

The MF 8480 receives the "European Tractor of the Year" award.



**2007**

The 50,000th tractor of the new high-tech MF 5400/ 6400/ 7400/ 8400 range is manufactured in the factory in Beauvais.

**2008**

50th anniversary of the "Massey Ferguson" brand.

**2008**

Foundation of Massey Ferguson Istanbul.



**2009**

MF introduces the first standard tractor, the 370 hp strong MF 8690, with SCR engine technology.

**2010**

MF expands its combine harvester programme through the MF DELTA range with hybrid separating system, the "2010 Machine of the year".

**2011**

MF introduces the MF 7600 range with its second generation SCR System and receives the award of "2012 Machine of the year" as well as "2012 Tractor of the Year for Design".



**2012**

The new MF 5600 tractor ranges from 85 to 105 hp makes its world premiere at EIMA show in Bologna, Italy.

**2012**

A new step forward in harvesting comfort and efficiency with the launch of the new MF BETA combine fitted with the ultimate Skyline cab.

**2013**

Launch of the MF 6600 Series, the most powerful 4 cylinder tractor in the industry.

**2013**

Launch of the MF 5600 Series, 4 cylinders, 110 - 130 hp. Launch of the MF Centora / Delta Gen 2 and MF 8700 Series (270 to 370 hp) during the AGRITECHNICA show in Germany.

**2014**

Launch of the Global Series with the MF 4708 (82 hp).

**2014**

Over 1000 ex-Beauvais MF tractors sold in Turkey, including an MF 8737 (400 hp) the highest horsepower tractor ever sold in this market.

**2015**

Launch of the MF 7700 Series (140 to 255 hp).



# MF 2600

## Rugged utility tractors built to get the job done

The MF 2600 is the ideal multi-purpose tractor for your farm, handling every task efficiently and comfortably. It is perfect for arable farms with its powerful four-cylinder engine. The MF 2600 utility tractor is ideally suited for livestock and dairy farmers as well as fruit and vegetable producers. The reliable twelve speed Massey Ferguson transmission means materials and produce get transported fast and efficiently on the farm.

The legendary Massey Ferguson three-point linkage system puts the operator in total control of a wide range of implements, from mowing and grading to tilling. The MF 2600's modern styling, user friendly controls and large operating platform provides premium comforts in a compact package.





## The model range

MF 2600	MF 2630 GE	MF 2640
Max power @ 2,000 rpm (kW)	48	60
Transmission Type	12F x 4R Centre shift	12F x 4R Centre shift
Engine Type	TSJ436 E	TSJ436 E
Model Type	Platform	Platform

\*2WD or 4WD versions are available for each model.



## Powerful, agile and capable tractors for every application

GE (Ground Effect) tractors are low height models ideal for working under low hanging crops. The highest point is 1,300 mm and these tractors have rounded fenders to allow the crop to flow over them without being damaged.

Non-cab versions are designed for open field agricultural applications, and are capable of handling a wide range of implements from cultivation and seeding equipment to hay and forage tools.

Non-cab, open platform versions make for easy access where operators need to get on and off the tractor frequently, for example when harvesting vegetables or feeding livestock.









## Feel right at home in your workspace

Easy to use, straightforward controls mean that any member of the team can drive the tractor and allow you to focus on the job at hand. Ergonomic design ensures that transmission, hydraulic and PTO controls fall easily to hand and can be operated with minimum effort. Your MF 2600 is a great place to work too, with excellent all-round visibility allowing you to keep your eye on the implement at all times and drive confidently in confined yards and buildings. The spacious, comfortable operator platform provides a clear, well-laid out dashboard. Easy to read instruments mean that you always have vital machine data to maximise efficiency and performance at all times.





## Power and Performance

MF's high performance four-cylinder engines offer high torque and reliable operation whether in the field or around the yard. Built to the highest standards, these power units are highly efficient and deliver exceptional fuel economy ensuring a low cost of ownership.

Tried and tested transmissions, with millions in use today across the world, will give you the flexibility to tackle any task. Rugged and straightforward to use the 12x4 partially synchronised transmission offers a wide range of gears for in-field use.





## Equipped for work with a wide range of implements

The MF 2600 three point-linkage features a strong hitch that offers a lift capacity of up to 2050 kgs & 2145 kgs on MF 2630 & MF 2640 respectively. It also consists of a Mark II scotch yoke piston pump for precise control of rear-mounted implements. Easy to use hydraulic controls offer a draft and position setting to accurately control the working depth mounted implements.

The independent PTO clutch allows the operator to comfortably engage/ disengage the PTO on the go making it easy and safe to operate.

An adjustable drawbar can be held rigidly in place with pins on either side, or it can be unpinned and allowed to freely swing to match a variety of towed implements.

The heavy duty front axle will offer many years of reliable service and its wide steering angle gives a tight turning circle for excellent manoeuvrability. There's a choice of 2WD and 4WD to suit the conditions on your farm, and a foot operated differential lock keeps you going in soft or wet ground.



## Service and support

**The Massey Ferguson distributor and dealer network ensures every machine comes with the support and service you need to keep working – whenever and wherever you need it.**

Massey Ferguson is always by your side when you need to keep working. We have one of the world's most extensive service networks for farming machinery. But we offer much more: our tractor service kits ensure that your Massey Ferguson tractor operates reliably and cost effective for years to come. We have a comprehensive range of planters, tillage and grassland equipment to meet the needs of your farming operation

You can experience our comprehensive range of services at your local Massey Ferguson dealership to help increase your MF 2600 tractor uptime and lower overall costs. Your Massey Ferguson sales and service advisor will be pleased to provide you with detailed advice on what best suits your needs.

The MF 2600 has been designed to provide you with fast, straightforward, easy and cost effective routine maintenance. Servicing is uncomplicated and efficient, taking the stress out of maintaining your tractor and leaving you with more time in the field/at work. Service intervals of 250 hours and easy access to service points keep maintenance to the minimum.



Industry-leading parts supply from AGCO Parts.



# Specifications

<b>Engine Performance</b>		<b>MF 2630 GE</b>	<b>MF 2640</b>
Engine Power	ISO kW (hp)	48 (65)	60 (80)
Rated Engine speed	Revs/min	2200	2200
<b>Engine</b>			
Engine type / no. of Cylinders / Capacity / Aspiration		Simpson TSJ 436 / 4 cylinders / 3600cc / Turbo	Simpson TSJ 436 / 4 cylinders / 3600cc / Turbo
<b>Transmission</b>			
Clutch		Dry Split Torque	Dry Split Torque
8F x 4R Sliding Mesh		-	-
12F x 4R Partial Synchromesh		Standard	Standard
Centre Shift		Standard	Standard
<b>Power Take-Off</b>			
PTO Clutch		IPTO	IPTO
PTO Speed	revs/min	540	540
<b>Front axle</b>			
Type		2WD / 4WD	2WD / 4WD
<b>Steering</b>			
Hydrostatic		Standard	Standard
<b>Hydraulics</b>			
Type		Oil immersed	Oil immersed
		Mark III Ferguson with Auxiliary Pump	Mark III Ferguson with Auxiliary Pump
Oil flow	litres/min	58	58
Pressure	bar	200	200
3-point linkage control		Mechanical	Mechanical
Lift capacity	Max kgs	2050	2145
<b>Spool valves</b>			
Single		-	-
Double		Standard	Standard
<b>Brakes</b>			
Type		Oil immersed	Oil immersed
<b>Standard Wheel and Tyres</b>			
2WD	Front	280/70 R 20	7.50x16
	Rear	13.6 R 24	18.4x30
4WD	Front	6.00x16	12.4x24
	Rear	13.6 R 28	18.4x30
<b>Operator environment</b>			
Type		Platform with ROPS	Platform with ROPS
<b>Weights and Dimensions</b>			
Weight without ballast	kg - 4WD	2730	3490
Length	mm	3685	4107
Height (Over ROPS)	mm	2500	2615
Wheelbase	mm - 4WD	2080	2245
<b>Capacity</b>			
Fuel Tank	Litres	55	85

Every effort has been made to ensure that the information contained in this publication is as accurate and current as possible. However, inaccuracies, errors or omissions may occur and details of the specifications may be changed at any time without notice. Therefore, all specifications should be confirmed with your Massey Ferguson Dealer or Distributor prior to any purchase.



# MASSEY FERGUSON



Web: [masseyferguson.com/en\\_za/](http://masseyferguson.com/en_za/)

Facebook: [www.facebook.com/MasseyFergusonSA](http://www.facebook.com/MasseyFergusonSA)

Twitter: [Twitter.com/MF\\_EAME](https://twitter.com/MF_EAME)

Instagram: [Instagram.com/MasseyFergusonGlobal](https://www.instagram.com/MasseyFergusonGlobal)

YouTube: [www.YouTube.com/MasseyFergusonGlobal](http://www.YouTube.com/MasseyFergusonGlobal)

Blog: [Blog.MasseyFerguson.com](http://Blog.MasseyFerguson.com)

AGCO South Africa Marketing  
16 Pomona Road, Kempton Park, Gauteng, 1619



**MASSEY FERGUSON**® is a worldwide brand of AGCO.  
© AGCO South Africa. 2021 | 17344 | English